


Strategy - Planning

Iceberg in this section provides the user a simple but powerful system to automate the trading in options. It also allows to non-programmers to create set certain moves which will be executed automatically. For users with more knowledge a scripting system will be available.




Video Tutorial







| | | | | |
|--|------------|---|------|--|
| | 24/03/2016 | Planning - L'area di lavoro | 6:22 | |
| | 24/03/2016 | Planning - Il grafico del futuro! | 9:35 | |
| | 24/03/2016 | Planning - Esempio di Utilizzo | 6:53 | |

Click [here](#) to watch other **Video di Iceberg**


Il menu






Strategy

| | |
|---|--|
|  Strategy | It open the submenu Strategy |
|  New Strategy | It creates a new Strategy |
|  Open Strategy | It allows to open a previously saved Strategy |
|  Save Strategy | It allows to save the Strategy currently in use |
|  Settings | It opens the window Strategy Settings for the strategy settings |
|  What-If History | it open the window What-If History where there are stored all the transactions carried out by the function What-If |



Planning

| | |
|--|---|
|  Enable Planning | It enable or disable the Planning function, whether the button is highlighted the function is active. |
|--|---|






Actions

| | |
|--|---|
|  New Plan | It create a new Plan for the Strategy |
|  Edit Plan | It allows you to edit the selected Plan |
|  Delete Plan | It delete the selected Plan |




Edit

| | |
|---|---------------------------------------|
|  Apply Changes | It confirm the changes made to a Plan |
|  Cancel Changes | It cancel the changes made to a Plan |






Objects

| | |
|---|---|
|  Start | It allows you to enter the starting point of the Plan |
|  End | It allows you to enter the end point of the Plan |
|  Condition | It allows you to insert a condition in the Plan |
|  Action | It allows you to enter an action in the Plan |
|  Junction | It allows you to place an hub for the links of the Plan |


Links

| | |
|---|--|
|  Generic Link | It allows you to insert a link between the starting point of the Plan and the condition, between the action and the end point and between actions. It connect the components of a Plan which are not subject to a decision (Yes or No) |
|  Yes Link | It allows you to insert a link between conditions and actions, in case the condition is verified |
|  No Link | It allows you to insert a link between conditions and actions, in case the condition is not verified |


Tools

| | |
|---|---|
|  Delete | It delete the selected object of the Plan |
|  Bring To Front | It allows you to move the selected item to the first level, therefore in foreground |
|  Send To Back | It allows you to move the selected item to the last level |
|  Move Front | It allows you to advance the selected object of a level |
|  Move Back | It allows you to move down the selected object of a level |

Zoom

| | |
|---|-------------------|
|  Reset Zoom | It reset the zoom |
|---|-------------------|

Simulation

| | |
|---|--|
|  Test Plans | It start the Plan Test |
|---|--|

Plan Object

A Plan consists of various objects that indicate the logical sequence and then how the sequence will be evaluated and executed. We see below what items make up a Plan and their properties.

Start



By clicking the button  you can enter the Start object



When Start object is selected, as well as the End object, it appears a sidebar with the general settings of the Plan.

Plan Properties

Name

Check Every minutes

Order Place Mode

Real-Time Data Filters

Max Bid/Ask Spread % (Options) ☐

Tick is not Zero ☐

Max. Tick Duration (secs.) ☐

Check Bid/Ask (Underlyings) ☐ NOTE: Last always checked

Check Last (Options) ☐ NOTE: Bid/Ask always checked

Options presents different prices peculiarities, for example very high bid-ask spreads. You can select how to check for prices correctness.

Quick Start

1. Click on New or Edit plan to edit

2. Edit plan properties

3. Place Start object on chart


4. Place other objects on chart as needed

5. Place End object on chart

6. Link objects with Generic, Yes or No links

7. Select the object on chart to edit properties

8. Click Apply to save changes

Do you need more informations ? 


- Name: name of the Plan;
- Check Every: You set how many minutes must elapse between a check of the plan and another ;
- Order Place Mode: Here you choose how Iceberg must manage the delta hedging orders.
Suggest Only: In case of a generation of an order Iceberg only show it on the "General" tab and

it must be finalized in [Real Market](#) or [Paper Trading](#). Paper Trading (Automatic): in case of a generation of an order it is automatically put in Paper Trading. Real Market (Manual): In case of a generation of an order the corresponding book to trade it in real market will appear. Real Market (Automatic): In this case an order is automatically sent to the broker with the price type previously set;

- Max Bid/Ask Spread % (Options)
- Tick is not Zero
- Max Tick Interval (secs)
- Check Bid/Ask (Underlying)
- Check Last (Options)

You can only enter a Start object into the Plan, which must be concluded with an End object but you can enable more Plans at once.

End



By clicking the button you can enter the End object, which must be entered to complete a Plan.



Plan Properties

Name

Check Every minutes

Order Place Mode

Real-Time Data Filters

Max Bid/Ask Spread % (Options) ☐

Tick is not Zero ☐

Max. Tick Duration (secs.) ☐


Check Bid/Ask (Underlyings) ☐ NOTE: Last always checked

Check Last (Options) ☐ NOTE: Bid/Ask always checked

Options presents different prices peculiarities, for example very high bid-ask spreads. You can select how to check for prices correctness.

Quick Start



1. Click on New or Edit plan to edit
2. Edit plan properties
3. Place Start object on chart
4. Place other objects on chart as needed
5. Place End object on chart
6. Link objects with Generic, Yes or No links
7. Select the object on chart to edit properties
8. Click Apply to save changes

Do you need more informations ? 

When Start object is selected, as well as the End object, it appears a sidebar with the general settings of the Plan where you have to set its name and how many minutes must elapse between a check of the plan and another.

Condition



By clicking the button  it is possible to insert the object , which

contains the condition that will have to be verified. From a Condition object can exit a “Yes” link, which will be connected to the action to take if the condition is verified, or a “No” link, which will be connected to the action to take if the condition is not verified.

Operand 1

Type: AssetsProperties

Which: Eni SpA

Property: Last

Preview: 13.77

Operator

Type: <

Operand 2

Type: CustomValue

Which:

Property: 12

Preview: 12

Object Text [Optional]

Last < 12

Preview

Eni SpA.Last (13.77)
<
12 (12)

Apply Cancel

When “Condition” object is selected, a sidebar with the settings will appear. You have to complete the field.

Operand 1: you have to assign the first term of the comparison, It can be a property of an Asset, a property of a Strategy, a property of a Plan or a Custom value setted by the user;


Operator: You have to choose the mathematical operator;


Operand 2: you have to assign the second term of the comparison, It can be a property of an Asset, a property of a Strategy, a property of a Plan or a Custom value setted by the user;

Object Text: in this field you can assign a short note that will be displayed in the Plan within the object Condition;

Preview: it shows shows the preview of the selected condition.

Action



By clicking the button  it is possible to insert the object “Action” that is the object in which to place the action that will be executed whether the previous condition is verified (Yes Link) or not (No Link)

Action Type

Activate Plan

Buy

De-Activate Plan

Enable/Disable Delta Hedging

Flat All

Flat single Leg

Immediate Delta Hedging

Leg Trailing Stop

Notification Sound

Rolling

Sell

Strategy Trailing Stop

Action Settings

Properties

Leg to Flat

Call @ 14 2016-06-17

Leg to Open

Call @ 15 2016-06-17

Preserve

Amount

Max Quantity

3

N° Executions

1

Object Text [Optional]

NOTE: Orders will be placed at MARKET price

Apply

Cancel


When the Action object is selected, in the right sidebar we have a list of all actions that can be assigned to it and its settings

For every “Action Type” are available some “Action Settings”. In “Action Settings” are collected all settable parameters related to the “Action Type” selected.

Junction



By clicking **Junction** it is possible to insert the object “Junction” for the “Link”. The Junction needs only to improve the look of a Plan in case there are many links with some overlap



The status of a Plan

| | Name | Status | Active |
|---|----------------|---------------------|-------------------------------------|
| | New Workflow 1 | Active and Enabled | <input checked="" type="checkbox"/> |
| | New Workflow 2 | Inactive | <input type="checkbox"/> |
| ▷ | New Workflow 3 | Editing | <input type="checkbox"/> |
| | New Workflow 4 | Working | <input checked="" type="checkbox"/> |
| | New Workflow 5 | Active but Disabled | <input checked="" type="checkbox"/> |

A Plan can be: Active but disabled, Active and Enabled, Inactive, in Editing or Working. The status of each plan is shown to the left of the name and it is of immediate identification. When a plan is activated and enabled the system evaluates the set condition and executes related actions while in all other cases it does not take place no verification.

If a Plan is in the process of editing Iceberg is not checking the conditions set. In order to exit from “Editing” you have to press “Apply Changes” if you want save your changes or press “Cancel Changes” to delete them.

When a Plan runs it takes the status of Working.

To do this, it is necessary that in the strategy are present put 10 and 9|

General

Charts

Trades

Comparison

What If

Analysis

Hedging

| | | | | | | | | | |
|------------|------------|---------|----------|--------------|----------------------|---------------|------------------|------------|--------------|
| In Session | Net Result | At Now | Realized | Broker Costs | Margin (Theoretical) | Value at Risk | Days to Expiries | Max Profit | Max Risk |
| YES | € 65,00 | € 65,00 | € 0,00 | € 0,00 | € 694,64 | € 691,04 | 91 | € 802,50 | -€ +Infinito |

Drag a column header here to group by that column

| | Name | Symbol Type | Strike | Expiry | Qty | Bid | Ask | Last | Avg. Price | Implied Vol. % | Delta | At Now | Realized | |
|-------------------------------------|---------------------|-------------|--------|------------|-----|--------|-------|-------|------------|----------------|--------|---------|----------|--|
| <input checked="" type="checkbox"/> | Eni SpA | Stock | | | 0 | 12,79 | 12,8 | 12,8 | | | 1.000 | € 0,00 | € 0,00 | |
| <input checked="" type="checkbox"/> | Put @ 10 2016-06-17 | PUT | 10 | 2016-06-17 | -5 | 0,253 | 0,295 | 0,321 | 0,321 | 52.759 | -0.141 | € 65,00 | € 0,00 | |
| <input checked="" type="checkbox"/> | Put @ 9 2016-06-17 | PUT | 9 | 2016-06-17 | 0 | 0,1335 | 0,193 | 0,2 | | 57.803 | -0.085 | € 0,00 | € 0,00 | |

| Chain | Real Time | Add | Delta | Vol. % | Bid | Ask | - | Qty | + | Expiry Strike | - | Qty | + | Bid | Ask | Vol. % | Delta | Add | Real Time |
|-------|-----------|-----|-------|--------|--------|--------|---|-----|---|---------------|---|-----|---|--------|--------|--------|-------|-----|-----------|
| | Start | + | 1 | 27,1 | 4,222 | 4,222 | - | 0 | + | 8,0 | - | 0 | + | 0,0403 | 0,0403 | 47,1 | -0,04 | + | Start |
| | Start | + | 1 | 27,9 | 4,0235 | 4,0235 | - | 0 | + | 8,8 | - | 0 | + | 0,001 | 0,001 | 26,3 | 0 | + | Start |
| | Start | + | 1 | 27,9 | 3,825 | 3,825 | - | 0 | + | 9 | - | 0 | + | 0,1335 | 0,193 | 57,8 | -0,09 | + | Stop |
| | Start | + | 0,99 | 27,2 | 3,331 | 3,331 | - | 0 | + | 9,5 | - | 0 | + | 0 | 0 | 0,2 | 0 | + | Start |
| | Start | + | 0,98 | 26,1 | 2,841 | 2,841 | - | 0 | + | 10 | - | -5 | + | 0,253 | 0,295 | 52,8 | -0,14 | + | Stop |

mage in the strategy there are the puts sold 10 and the put 9 (with quantity zero).
To add an option with quantity 0 you must click on the “+” button of [Chain Opzioni](#).

2. Basic settings of the Plan



From the section Plan first click [New Plan](#) to create a new Plan.


The screenshot shows the beeTrader software interface. On the left, a vertical sidebar contains navigation buttons: General, Charts, Trades, Comparison, What If, Analysis, Hedging, Planning (highlighted), and Volatility. The main window is divided into three sections. The top section is a table with columns 'Name', 'Status', and 'Active'. It contains one row: 'Rolla Put 10 a Strike' with status 'Editing' and an 'Active' checkbox. A yellow arrow points from the 'Editing' status to the 'Name' field in the 'Plan Properties' panel on the right. The middle section is a large chart area with a dark background and a grid. It displays the text 'Rolla Put 10 a Strike' and a purple 'START' button. The bottom section is a sidebar with 'Plan Properties' and 'Real-Time Data Filters'. The 'Plan Properties' panel shows 'Name: Rolla Put 10 a Strike', 'Check Every: 1 minutes', and 'Order Place Mode: Suggest Only'. The 'Real-Time Data Filters' panel includes checkboxes for 'Max Bid/Ask Spread %', 'Tick is not Zero', 'Max. Tick Duration (secs.)', 'Check Bid/Ask (Underlyings)', and 'Check Last (Options)'. A 'Quick Start' section at the bottom right lists 8 steps for creating and editing a plan.

n is under Editing, the first thing to do when you create a Plan is to give it a name because in the case of more plans on a same Strategy, these are listed and sorted by name.

Once assigned the name we have to proceed with the insertion of the object **Start** with the button



3. Settings of Conditions




At this point we insert the object **Condition** with the button

The screenshot displays the beeTrader software interface for editing a strategy plan. The main workspace shows a flowchart starting with a 'START' node, followed by a condition 'Eni < 10', and then an action 'Put @ 10 2016-06-17.Strike'. The right-hand panel provides configuration details for the condition and action. For Operand 1, the Type is 'AssetsProperties', Which is 'Eni SpA', Property is 'Last', and the Preview value is 13.74. For Operand 2, the Type is 'AssetsProperties', Which is 'Put @ 10 2016-06-17', Property is 'Strike', and the Preview value is 10. The Operator is set to '<'. The Object Text is 'Eni < 10'. The Preview section shows the comparison: 'Eni SpA.Last (13.74) < Put @ 10 2016-06-17.Strike (10)'. The title of the plan is 'Rolla Put 10 a Strike'.

ameters that the Plan will verify. For example suppose when the underlying Eni will arrive at 10 we want that the Plan will do a thing (which will be specified).

In Operand 1 we choose AssetsProperties → Eni → Last (the Preview shows the current value), in Operator we choose \lt , in Operand 2 we choose AssetsProperties → La Put 10 → Strike (the Preview shows the current value).

In the Preview, on the low, we can read what we have set, if it is alright we press “Confirm” to save the conditions.



Every object must be connected to each other, with the button

In the example there are two conditions equal to show the operation of the “Text” Object [Optional] so, everything is written here is placed on the sketch of the plan in order to make easier the lecture.

4. Actions Setup



After we insert the object **Action** with the button

action that the Plan will run upon the occurrence of the condition set above. In the example we used a



green , so the action will be executed whether the condition will be verified. It also possible to




insert a red . In this case the action will be executed whether the condition will not be verified.

In order to execute a rolling, we have to set Put 10 in “flat” and Put 9 in Leg to Open.


There are other parameters to set, for example “Preserve” which needs to keep the initial premium (however you can set a maximum number of contracts in in “Max Quantity”), or the number of contract. In the exemple the plan Nell'esempio il plan will attempt to sell the same initial premium but with a maximum of 10 contracts respect to the initial 5.

In “Reps” we sets the number of times the action have to be performed. Finally we click “Confirm”. On the figures of the actions are present red circles on which are reported the number of repetition still to be executed.

5. Plan Conclusion



At this point we have to conclude the plan with the object



nects the object End. Now the Plan is complete but it is still in Editing. In order to enable it we have to



confirm the changes with the button






Test of a Plan












Once we have create a plan we can test it.


In Iceberg, just for this purpose, there is the Simulation function. The user can create a graph of the underlying in order to check how the plan perform in every market condition that he think it can happen. The options are priced with [Market Maker](#) an exclusive of Iceberg.



The menu


| | |
|---|---|
|  | It allows to add a graphic segment, The dates and the prices of begin and end are to be set |
|  | It allows to remove a previously-added segment of the chart |
|  | It allows to generate a new graph with the same parameters of the segments that compose it |
|  | It allows to choose which expires highlight on the underlying graph |
|  | It allows you to restore the original zoom on the underlying chart |

| | |
|---|--|
|  Save as Image | It saves the underlying chart in image format (*.png) |
|  Print | It allows to print the graph of the underlying. Feature available on the PC in use if there is a printer |
|  Reset Zoom & Pan | It restore the original zoom of the payoff |
|  Cross Hair | It enable or disable the crosshair for the payoff |
|  Save as Image | It allows to save the payoff in image format (*.png) |
|  Print | It allows to print the payoff. Feature available on the PC in use if there is a printer |
|  Goto Start | It remove a previously-added segment of the chart |
|  Previous Point | It allows you to place the simulation on the previous step of the underlying chart |
|  Next Point | It allows you to place the simulation on the next step of the underlying chart |
|  Play | It allows you to enable scrolling point by point of the underlying graph |
|  Stop | It allows you to disable the scrolling point by point of the underlying graph |



It open the online manual page on the default Internet browser

Chart Builder




an set the different segments that will make up the underlying graph. For each segment, you can set start and end date, start and end price.

In while you create the segments, the graph is composed randomly, assuming the trend of the underlying between the dates and the prices set by the user.

The fields Start Date, End Date, Start Price e End Price are editable, others fields are calculated and gives an indication of the deviation of prices set.

Plan Preview


In the Plan Preview the user can verify every point of the graph of the underlying if the condition



I you can zoom the plan.

Simulation Results

In this section the user can check for each point of the underlying chart the parameters of its strategy, and possible actions of workflow.




In the two images we see the difference between the initial strategy and after the execution of the simulation. At first the strategy was composed of 5 short put with strike 10 and with underlying at 12,8. Proceeding with the simulation the underlying went to 9.84 (therefore less of the put strike) so, as set in the plan, put 10 were bought and put 9 were sold. The payoff has been kept selling 8 contracts.




Tips


1. How to perform two actions upon the occurrence of a Condition



2. How to perform an action only when the previous is already performed



3. How to set two conditions with their actions



You need to connect to Start two singles Actions, in the example of DJ Euro Stoxx 50 the Plan is composed of two single Conditions (< 2975 o > 3075). Una volta impostare le due Condizioni collegare le relative Condizioni come visto negli esempi precedenti con Link Yes in quanto si desidera che le Azioni siano eseguite al verificarsi delle Condizioni. In the example the various conditions have been linked separately and not in sequence (as in example 1)

From:

http://manuals.playoptions.it/Iceberg_old/ - **Iceberg Options Solutions**

Permanent link:

http://manuals.playoptions.it/Iceberg_old/en/planning?rev=1472733305



Last update: **2016/09/01 14:35**